

Geistlich

Biomaterials

KONZEpte ZUR PRÄVENTION UND THERAPIE VON PERIIMPLANTITIS

Literatur

- 1 Huynh-Ba G et al. Analysis of the socket bone wall dimensions in the upper maxilla in relation to immediate implant placement. *Clin. Oral Impl. Res.* 21, 2010; 37–42. (clinical study)
- 2 Cardaropoli D et al. Soft tissue contour changes at immediate implants: a randomized controlled clinical study. *Int J Periodontics Restorative Dent.* 2014 Sep–Oct; 34(5):631 – 7. doi: 10.11607/prd.1845. PMID: 25171033. (clinical study)
- 3 Chappuis V et al. Effectiveness of Contour Augmentation with Guided Bone Regeneration: 10-Year Results. *Journal of dental research* vol. 97,3 (2018): 266 –274. (clinical study)
- 4 Wessing B et al. Guided Bone Regeneration with Collagen Membranes and Particulate Graft Materials: A Systematic Review and Meta-Analysis. *Int J Oral Maxillofac Implants.* 2018 January/February; 33(1):87–100. (systematic review and meta-analysis)
- 5 Urban I et al. Effectiveness of vertical ridge augmentation interventions: A systematic review and meta- analysis *J Clin Periodontol.* 2019; 46 (Suppl. 21):319–339 (systematic review and meta-analysis)
- 6 Benic GI, Bernasconi M, Jung RE, Hämerle CH. Clinical and radiographic intrasubject comparison of implants placed with or without guided bone regeneration: 15-year results. *J Clin Periodontol.* 2017; 44:315-325 (clinical study)
- 7 Elnayef B. Vertical Ridge Augmentation in the Atrophic Mandible: A Systematic Review and Meta-Analysis. *Int J Oral Maxillofac Implants.* 2017 Mar/Apr;32(2):291–312 (systematic review and meta-analysis)
- 8 Schlee M. Die Tentpole-Technik zur Verdickung von Hart und Weichgewebe. 24 Inspiration & Insights Magazin. Deutschland/Schweiz 1/2.2016
- 9 Daga D. Tentpole technique for bone regeneration in vertically deficient alveolar ridges: A prospective study. *J Oral Biol Craniofac Res.* 2018;8(1):20–24. (clinical study)
- 10 Neto J. The positive effect of tenting screws for primary horizontal guided bone regeneration: A retrospective study based on cone-beam computed tomography data. *Clin Oral Impl Res.* 2020;00:1–10. (clinical study)
- 11 Stumpf et al. Die Umbrella-Technik zur Augmentation atrophierter Kieferkämme. *Implantologie* 2020;28(4):403–413 (clinical case series)

Weitere Infos unter www.geistlich.de

den vollständigen Artikel finden Sie
unter folgenden QR Code:



Geistlich Biomaterials
Vertriebsgesellschaft mbH
Schneidweg 5 | 76534 Baden-Baden
Tel.: +49 7223 9624-0
Fax: +49 7223 9624-10
info@geistlich.de