

Int Poster J Dent Oral Med 2005, Vol 7 No 03, Poster 280

International Poster Journal

The Odontological Identification of the Unknown Bodies

Language: English

DGZMK

Authors:

Dr. med. Dr. med. dent. Claus Grundmann Dr. med. Dr. med. dent. Klaus Rötzscher German Academy of Forensic Odonto-Stomatology

Date/Event/Venue:

8th Cross Channel Conference by the Royal Belgian Society of Forensic Medicine 22.-25. April 2004 Brugges, Belgium

Introduction

The examination of the causality and cause of death in cases of unnatural death including non-identified people is ordered by the public prosecutor (§ 159 StPO). Inquest and autopsy belong to the code of criminal procedure (§ 87 StPO). The identification of the bodies has to be done before the autopsies begin (§ 88 StPO). Fingerprints, measurements and photos for the police records department are ruled by law (§ 81b StPO).

Objectives

The identification of the two bodies by taking fingerprints was impossible (Fig. 1).



Fig. 1

Both, driver and passenger - burned beyond recognition - it was supposed they concern to be some special people (Fig. 2a and b).



Fig. 2a

Material and Methods

The odontological section begins by opening the lips to remove the jaws (Fig. 3).



Fig. 3

The exarticulation of the jaws using oscillating saws (Fig. 4).



Fig. 4

The removal of the upper jaw follows the Le Fort-I-osteotomy (Fig. 5).



Fig. 5

Afterwards the jaws are macerated by enzyme "Enzyrim" (Fig. 6).



Fig. 6

The methods of maceration used so far seem to be imperfect (toxic, offensive smelling, difficult to clean up). The use of enzyme for maceration accelerates the catalytic process enormous. This method is cheap, easy to handle, non-toxic and easy to clean up. The procedure at all needs only two hours (3).

Proceedings

The ultrasonic appliance works with 35.000 Hertz. The water should be heated for two hours up to 60 degrees Celsius. Per litre water 10 ml washing powder and 20 ml Enzyrim are added (Fig. 7).



Fig. 7

For one people orthodontic plaster casts could be used (Fig. 8).





Comparison of the lower jaw with the plaster cast of the first body (Fig. 9).



Fig. 9

A-M x-rays and A-M dental records existed from the second person (Fig.10).



Fig. 10

Comparison of the OPG with the upper jaw of the second body (Fig. 11).



Fig. 11

The results are transferred to the P-M-DVI-Form together with the information where the victim (house, car, boat aeroplane, train etc,) was found at the time of the event (Fig. 12).

P	Mirce 20%	VICTIM IDENTI	FICATION FORM	F2
DEAD BODY				
Nature of disaster: car accident No: 1				
Place of disaster: Germany Sexurencem				
Date of examination: 16 Day 08 Month 03 Year More X Female				
86 DENTAL FINDINGS				
14	1-12			21-61
-	413			22.62
5	114 extracte	d-no Ach	extracted - nogap	23-63
	-15	or to pap	extracted - hogap	24-61
	18 Amalgamfile	ling ocd	Amalgan fill out plast fills	
	17 Amalgam/11	est Rill occl	Amalgen fil out	27
	18 wet erupt		not crusted	28
18 17 15 15 14 13 12 11 21 22 23 24 25 26 27 28				
X			BBBBBBB	
ALLEABEREELEA				
48 47 46 45 44 43 42 41 31 32 33 34 35 36 37 38				
	48 not erupt		not erupted	38
	47 Caries buc		plast fill occl	37
-	45 Amalgan fill	plast occl + bucr	plast fill occl + cames bucc	36
	-45	4		35-15
84	4 KI WOID	d-ho gap	extracted - hogap	34-74
82				33-73
81	1441			32-72
87	Specific description of			31-7
0/	Crowns, bridges and			
	dentures			
88				
	Occlusion, attrition, anomalies, smoker,			
	periodontal status, etc.			
89	X-rays taken of:	of: and a second second second		
90		orthopautomogram (OPG-)		
90 Supplementary examination				
91 Age evaluation				-
(method?)				
Odontologist Dr. med. Dr. med. dent.				
Address Claus Grundmann 6				
(method?) Phone number, Viktorisstraße 8 3				

Fig. 12

If the idenditiy cannot be solved within two weeks, publications follow in the dental journals as "Rheinisches Zahnärzteblatt" or "Zahnärztliche Mitteilung".

Results

The characteristics of the presented samples were the extrem carbonization of two bodies with orthodontic treatment. The permanent first praemolars of the upper and lower jaws were extracted. The gaps had been closed by orthodontic apparatures.

Conclusion

The expertness leads to conclusions. Positive identification of burned bodies by dental radiological and morphological methods is possible (4). The results are transferred to the P-M-DVI-Form (Fig.12) together with the information where the victim (house, car, boat, aeroplane, train etc.) was found at the time of the event. If the identity cannot be solved within two weeks publications follow in the dental journals as Rheinisches Zahnärzteblatt or Zahnärztliche Mitteilungen.

Bibliography

- 1. Andersen L, Juhl M, Solheim T, Borrman H (1995) Odontological identification of fire victims potentialities and limitations. Int J Leg Med 107: 229-234
- 2. Benthaus S, Teige K (1998) Ist die Identifikation stark verbrannter Leichen aussichtslos? Arch Kriminol 201, 1/2: 31-38
- 3. Grundmann C, Rötzscher K (2000) Autopsy techniques in the orofacial area and maceration using Enzyrim. J Forensic
- Odontostomatol, Vol 18, No.1: 19-21
- 4. Rötzscher K (2000) Forensische Zahnmedizin, Kap. Identifikation, Thermische Einflüsse. Springer Heidelberg Berlin, S. 155-156

Abbreviations

A-M / P-M = Antemortem / Post-mortem StPO = Strafprozessordnung = code of criminal procedure

This Poster was submitted by Dr. med. Dr. med. dent. Klaus Rötzscher.

Correspondence address: *Dr. med. Dr. med. dent. Klaus Rötzscher* German Academy of Forensic Odonto-Stomatology Wimphelingstr. 7 67346 Speyer/Rhein Germany

Poster Faksimile:













Removal of the upper jav the Le Fort-I-osteotomy





ed by



For one per ple orthodi ed (Fig. 8).





